

Anelli

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo

3A F 101	3.0	0.5
3A F 102	4.0	0.8
3A F 103	4.0	1.0
3A F 104	5.0	1.0
3A F 105	5.0	1.2
3A F 106	5.0	1.5
3A F 107	6.0	1.0
3A F 108	6.0	1.2
3A F 109	6.0	1.5
3A F 110	8.0	1.0
3A F 111	8.0	1.2
3A F 112	8.0	1.5
3A F 113	8.0	2.0
3A F 140	8.0	3.0
3A F 114	10.0	1.2
3A F 115	10.0	1.5
3A F 116	10.0	2.0
3A F 141	10.0	3.0
3A F 143	10.0	4.0

Anelli

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy




dimensioni (mm)		
H	L	Ø filo

3A F 117	12.0	1.2
3A F 118	12.0	1.5
3A F 119	12.0	2.0
3A F 142	12.0	3.0
3A F 120	14.0	2.5
3A F 144	14.0	3.0
3A F 121	15.0	2.0
3A F 122	16.0	2.5
3A F 123	18.0	2.5
3A F 124	20.0	2.5
3A F 148	20.0	5.0
3A F 125	20.0	4.0
3A F 129	22.0	2.0
3A F 126	25.0	4.0
3A F 127	30.0	4.0
3A F 149	30.0	5.0
3A F 128	40.0	5.0
3A F 130	24.0	2.0
3A F 131	26.0	2.0
3A F 151	35.0	4.8
3A F 146	40.0	6.0

Anelli in zama

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo

3A	Z	401	25.0	5.5
3A	Z	402	30.0	5.5
3A	Z	403	35.0	5.5



3A	Z	404	20.0	5.0
3A	Z	405	25.0	5.0
3A	Z	406	30.0	5.0
3A	Z	407	35.0	5.0
3A	Z	408	40.0	6.0

Anelli apribili

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo

3D	F	101	20.0	2.2
3D	F	102	25.0	2.7
3D	F	103	32.0	2.7
3D	F	104	40.0	3.0
3D	F	105	50.0	3.0
3D	F	106	60.0	3.0
3D	F	108	80.0	4.0

Anelli filo ritorto

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy




dimensioni (mm)		
H	L	filo

3A	F	160	25.0	6.0
3A	F	136	30.0	3.5
3A	F	138	30.0	4.0
3A	F	147	63.0	5.0

Anelli filo quadro

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	∅ filo

3A	F	139	20.0	4.5
3A	F	145	25.0	6.0
3A	F	132	30.0	6.0
3A	F	157	35.0	5.0
3A	F	137	40.0	6.0
3A	F	134	50.0	6.0
3A	F	133	63.0	6.0




3A	F	135	20.0	4.5
3A	F	152	25.0	6.0
3A	F	153	30.0	6.0
3A	F	150	35.0	5.0
3A	F	154	40.0	6.0
3A	F	155	50.0	6.0
3A	F	156	63.0	6.0

Anelli brisé

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø

3B F 101	8.0	0.8
3B F 102	10.0	0.8
3B F 103	12.0	1.0
3B F 104	16.0	1.5
3B F 105	18.0	1.5
3B F 106	20.0	1.5
3B F 107	22.0	1.5
3B F 108	25.0	1.5
3B F 109	30.0	1.5