


Rettangoli

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo

3R	F	101	7.5	16.0	2.0
3R	F	102	7.5	18.0	2.0
3R	F	103	7.5	20.0	2.0
3R	F	104	12.0	20.0	2.0
3R	F	105	15.0	20.0	2.4
3R	F	108	13.0	25.0	2.2
3R	F	109	7.5	22.0	2.0
3R	F	110	7.5	25.0	2.0
3R	F	111	7.5	30.0	2.0
3R	F	112	17.0	30.0	2.4
3R	F	113	17.0	30.0	3.0
3R	F	114	19.0	40.0	2.7
3R	F	115	15.0	40.0	2.4
3R	F	117	17.0	40.0	4.0

Quadri

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo

3R F 106	20.0	20.0	2.4
3R F 107	22.0	22.0	2.0
3R F 116	35.0	35.0	3.5
3R F 130	8.0	8.0	2.0
3R F 131	22.0	22.0	4.0
3R F 132	25.0	25.0	3.0
3R F 133	25.0	25.0	4.0
3R F 134	30.0	30.0	4.0

Sagomati

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L ₁ - L ₂	Ø filo

3R	F	120	14.0	16.0-13.0	3.8
----	----------	-----	------	-----------	-----



3R	F	121	13.0	16.0-10.0	2.5
----	----------	-----	------	-----------	-----

3R	F	122	13.0	18.0-10.0	2.5
----	----------	-----	------	-----------	-----

3R	F	123	13.0	22.0-10.0	2.5
----	----------	-----	------	-----------	-----



3R	F	125	10.0	17.0-8.0	1.45
----	----------	-----	------	----------	------

3R	F	126	10.0	25.0-9.0	1.45
----	----------	-----	------	----------	------

3R	F	127	10.0	27.0-9.0	1.45
----	----------	-----	------	----------	------

3R	F	128	10.0	29.0-9.0	1.45
----	----------	-----	------	----------	------

3R	F	129	10.0	35.0-9.0	1.45
----	----------	-----	------	----------	------



3R	F	124	21.0	14.0	2.5
----	----------	-----	------	------	-----