


Fibbie

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy




dimensioni (mm)		
H	L	Ø filo

3F	Z	701	19.0	20.0	6.0 a rullo
3F	Z	702	19.0	25.0	6.0 a rullo
3F	Z	703	19.0	30.0	6.0 a rullo
3F	Z	704	19.0	35.0	6.0 a rullo
3F	Z	705	19.0	40.0	6.0 a rullo



3F	Z	706	13.0	20.0	3.0
3F	Z	707	14.5	25.0	3.5
3F	Z	708	18.0	30.0	4.0
3F	Z	709	20.0	35.0	4.5
3F	Z	710	20.0	40.0	4.5




3F	F	101	13.0	20.0	2.0
3F	F	102	13.0	25.0	2.0
3F	F	103	16.0	30.0	2.4
3F	F	104	16.0	30.0	3.0
3F	F	105	18.0	35.0	2.4
3F	F	106	19.0	40.0	2.7
3F	F	107	18.0	40.0	3.0
3F	F	108	15.0	40.0	2.4

Fibbie a rullo


F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama

F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo


3F	F	201	15.0	20.0	2.9
3F	F	202	20.0	25.0	3.5
3F	F	203	20.0	30.0	3.5
3F	F	204	20.0	35.0	3.7
3F	F	205	24.0	35.0	3.8
3F	F	206	28.0	40.0	4.0
3F	F	207	25.0	46.0	5.0
3F	F	208	30.0	50.0	5.0
3F	F	209	32.0	60.0	6.0



3F	F	601	27.0	40.0	4.8
3F	F	602	25.0	46.0	5.0
3F	F	603	30.0	50.0	5.0
3F	F	604	32.0	60.0	6.0

Fibbie salopette

F = Ferro **A** = Alluminio **O** = Ottone **Z** = Zama
F = Iron **A** = Aluminium **O** = Brass **Z** = Zamak alloy



dimensioni (mm)		
H	L	Ø filo

3F	F	501	25.0	1.65
3F	F	502	35.0	1.8
3F	F	503	40.0	1.8
3F	F	504	50.0	1.8